

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate no.:
MEDB0000790
Revision no.:
1

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV AS under the authority of the Government of Norway.

This is to certify:

that the **Primary deck coverings**

with type designation(s)
System weber WX

issued to

SAINT-GOBAIN BYGGEVARER AS
Oslo, Norway

is found to comply with the Implementing Regulation (EU) 2024/1975 for
Item no. **MED/3.1 (Row 1 of 1)**

according to the following requirements:

**SOLAS 74 Reg. II-2/4, IMO Res. MSC.36(63)-(1994 HSC Code) 7, IMO Res. MSC.97(73)-(2000 HSC Code) 7,
SOLAS 74 Reg. II-2/6, SOLAS 74 Reg. X/3**


Further details of the equipment and conditions for certification are given overleaf.

Date of issue: **2025-07-07**

Expiry date: **2026-06-27**

DNV local unit:
Oslo Maritime and CAP

Approval Engineer:
Meike Grabau



Notified Body
no.: **0575**



for **DNV AS**

Digitally Signed By:

Christine Mydlak-Röder

Christine Mydlak-Röder
Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment signed 17 October 2005, and amended by Decision No 1/2023 dated August 21st, 2023.



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

Product description

"System weber WX"

is a floor construction consisting from bottom to top of 0.5 mm thick "weber WX" membrane (density 1250 kg/m³), 2.0 mm tile adhesive "weber rex fix" (density 1500 kg/m³) or "weber flex fix" (density 1500 kg/m³) or "weber flow rapid fix" (density 1750 kg/m³) or "weberepox easy" (density 1700 kg/m³), 9.0 mm clinker (ceramic tiles) and between tiles, a 3.0 mm wide "weber rapid grout" (density 1900 kg/m³) or "weberepox easy" (density 1700kg/m³) and/or a "weber neutral silicon" (density 1050 kg/m³).

Application/Limitation

Approved for use as primary deck covering, not generating excessive quantities of smoke nor toxic products in fire.

The product may be applied over any steel or non-combustible material.

weber WX (membrane):

Approved colour: Light yellow

Max. organic content: 40 %

weber rex fix; weber flex fix; weber flow rapid fix; weberepox easy (tile adhesive):

Approved colour: Grey

Max. organic content: 6 %; 12 %; 4 %; 35 %

weber rapid grout; weberepox easy:

Approved colour: Grey

Max. organic content: 1.5 %; 35 %

weber neutral silicon:

Approved colour: Grey

Max. organic content: 92 %

Any adhesive used, other than the one used during testing, has to be tested for low flame spread characteristics according to IMO 2010 FTP Code part 5 and to be approved according to the Marine Equipment Directive and bear the MED Mark of Conformity.

Not to be used as an integrated part of a horizontal class A division unless tested as such.

The product may also be used as floor covering in accordance with IMO 2010 FTP Code Part 5 appendix 4 paragraph 4.9.2.

Each product is to be supplied with its manual for installation and use.

Type Examination documentation

Document No.	Rev.	Title
9P09296-1		Test report ("System weber WX") dated 16 September 2020 from RISE, Borås, Sweden
9P09296-3rev1		Assessment ("weberepox easy") dated 3 April 2025 from RISE, Borås, Sweden

Tests carried out

Tested according to IMO 2010 FTP Code part 5 and annex 2 item 2.2.



Certificate no.: **MEDB0000790**
Revision no.: **1**

Marking of product

The product is to be marked with name and address of manufacturer, type designation, the MED Mark of Conformity and USCG Approval Number if applicable (see first page).